



**AMECA Compliance List
of Automotive Safety Devices**

Air Brake Hose

February 2010



**Compliance List of
Automotive Safety Devices**

Air Brake Hose

For Three-Year Period 2007-2010

February 2010 Update

**Automotive Manufacturers Equipment Compliance Agency, Inc.
P.O. Box 76960 • National Capitol Station • Washington, D.C.
20013-6960**

**1025 Connecticut Avenue, NW Suite #1012
Washington DC 20036
www.ameca.org**

FOREWORD

This publication is a compilation of regulated motor vehicle safety equipment items which have been tested to recognized standards by accredited testing laboratories and found to be in compliance with jurisdictional requirements as overseen by the Automotive Manufacturers Equipment Compliance Agency, Inc (AMECA).

The AMECA *Compliance List* is published in monthly and contains all valid AMECA Notice's of Equipment Compliance™ issued during the previous three years plus any new compliance documents added in the previous month. The monthly *Compliance List* is uploaded to the website www.ameca.org under the page titled: *Handbook of Compliant Automotive Safety Devices*. This web-based accessibility allows jurisdictions all-hours field access to information relevant to accident investigations, anti-counterfeit actions, and compliant product purchasing.

If you would like to receive notification of the updated AMECA *Compliance List* please send an email to: Subscriptions@ameca.org with the sections you wish to receive in the body of the email.

Every effort is made to accurately report all new, renewed and revised items from every AMECA compliant participating manufacturers. Your suggestions are always welcome and AMECA is proud to serve law enforcement at every level. AMECA exists to serve you.

Information relative to the preparation of submissions for Notices of Equipment Compliance™ can be found in the *Manufacturers Guide for Safety Equipment Compliance Services*. This guide also contains general AMECA program information. A complete listing of safety-related items covered by AMECA is also available at www.ameca.org.

Grateful acknowledgment is made to those who have cooperated in making this listing possible.

SECTION 19

AIR BRAKE HOSE

THESE DEVICES ARE LISTED IN ALPHANUMERIC SEQUENCE BY HOSE MARKINGS.

19-B
THIS SIDE INTENTIONALLY BLANK

ACTIVE CODES FOR AIR BRAKE HOSE

2/17/2010

CODE	APPLICANT
01650	EATON AEROQUIP CORPORATION
61750	NEPHI RUBBER PRODUCTS
64700	PARKER HANNIFIN CORPORATION
66351	POLIMER KAUCUK SAN. VE PAZ A.S.

THIS SIDE INTENTIONALLY BLANK

AIR BRAKE HOSE

2/17/2010

SECTION 19-1

NUMBER	EXPIR	APPL #	MARKINGS - ONE SIDE	MARKINGS - OTHER SIDE (END FITTING)	SIZE
080289	01 11	01650	AEROQUIP 1503-8 SAE 100R5 DOT (DATE) AIR BRAKE 13/32 AII	EATON (DATE) AII 13/32	13/32
080474	01 11	01650	DOT AEROQUIP HC10000-4 (DATE) 1/4 SAE J1402 A AIR BRAKE	EATON	1/4
090959	01 13	01650	DOT AEROQUIP HC101-04 (DATE) 1/4" SAE J1402 TIPO A AIR BRAKE	(NONE)	1/4
090960	01 13	01650	DOT AEROQUIP HC101-06 (DATE) 3/8" SAE J1402 TIPO A AIR BRAKE	(NONE)	3/8
090961	01 13	01650	DOT AEROQUIP HC 101-08 (DATE) 1/2" SAE J1402 TIPO A AIR BRAKE	(NONE)	1/2
090962	01 13	01650	DOT AEROQUIP HC 101-10 (DATE) 5/8" SAE J1402 TIPO A AIR BRAKE	(NONE)	5/8
081027	07 11	66351	DOT SEL (POLIMER KAUCUK LOGO) 13/32 AII	(NONE)	13/32
081028	07 11	66351	DOT SEL (POLIMER KAUCUK LOGO) 7/8 AII	(NONE)	7/8
081029	07 11	66351	DOT SEL (POLIMER KAUCUK LOGO) 1 1/8 AII	(NONE)	1 1/8
080724	07 11	61750	NRP-JONES ALL TEMP 1/4" (6.4MM) SAE 100R5-5 3000 PSI W.P. SAE J1402 DOT AII AIR BRAKE AII 52684 (DATE) MADE IN USA	REUSABLE: DOT AII LENZ 1/4 R5-5 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2	1/4
080725	07 11	61750	NRP-JONES ALL TEMP 5/16 INCH (7.99MM) SAE 100R5-6 2250 PSI W.P. SAE J1402 DOT AII AIR BRAKE AII 52684 (DATE) MADE IN USA	REUSABLE: DOT AII LENZ 5/16 R5-6 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2	5/16
080726	07 11	61750	NRP-JONES ALL TEMP 13/32" (10.3MM) SAE 100R5-8 2000 PSI W.P. SAE J1402 DOT AII AIR BRAKE AII 52684 (DATE) MADE IN USA	REUSABLE: DOT AII LENZ 13/32 R5-8 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2	13/32
080727	07 11	61750	NRP-JONES ALL TEMP 1/2" (12.7MM) SAE 100R5-10 1750 PSI W.P. SAE J1402 DOT AII AIR BRAKE AII 52684 (DATE) MADE IN USA	REUSABLE: DOT AII LENZ 1/2 R5-10 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2	1/2
080728	07 11	61750	NRP-JONES ALL TEMP 5/8 INCH (15.9MM) SAE 100R5-12 1500 PSI W.P. SAE J1402 DOT AII AIR BRAKE AII 52684 (DATE) MADE IN USA	REUSABLE: DOT AII LENZ 5/8 R5-12 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2	5/8
080729	07 11	61750	NRP-JONES ALL TEMP 3/16" (4.8MM) SAE 100R5-4 3000 PSI W.P. SAE J1402 DOT AII AIR BRAKE AII 52684 (DATE) MADE IN USA	REUSABLE: DOT AII LENZ 3/16 R5-4 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2	3/16

AIR BRAKE HOSE

2/17/2010

SECTION 19-2

NUMBER	EXPIR	APPL #	MARKINGS - ONE SIDE	MARKINGS - OTHER SIDE (END FITTING)	SIZE
070270	07 10	64700	PARKER 271-8 AIR BRAKE 1/2 WP 1.6MPa AII DOT (DATE)	(NONE)	1/2
070271	07 10	64700	PARKER 271-6 AIR BRAKE 3/8 WP 1.6MPa AII DOT (DATE)	DOT PH 3/8 A (DATE, VENDOR, PLANT CODE)	3/8
080640	07 11	64700	PARKER 201-45MM (3/16) SAE J1402 WP20,1 MPA AIR BRAKE (3000PSI) SAE 100R5	DOT (LOT NUMBER (DATE) 3/16 AII	3/16
080641	07 11	64700	PARKER 201-5 AIR BRAKE 6,3MM (1/4) SAE J1402 WP21.0 MPA (3000 PSI) SAE 100R5	DOT (LOT NUMBER) (DATE) 1/4 AII	1/4
080642	07 11	64700	PARKER 201-6 AIR BRAKE 8MM (5/16) SAE J1402 WP 15,7 MPA (2250PSI) SAE 100R5	DOT (LOT NUMBER) (DATE) 5/16 AII	13/32
080643	07 11	64700	PARKER 201-8 AIR BRAKE 10MM (13/32) SAE J1402 WP 13,8 MPA (2000PSI) SAE 100R5	DOT (LOT NUMBER) (DATE) 13/32 AII	13/32
080644	07 11	64700	PARKER 201-10 AIR BRAKE 12.5MM (1/2) SAE J1402 WP 12,0 MPA (1750 PSI) SAE 100R5	DOT (LOT NUMBER) (DATE) 1/2 AII	1/2
080645	07 11	64700	PARKER 201-12 AIR BRAKE 16MM (5/8) SAE J1402 WP5.2 MPA (750 PSI) SAE 100R5	DOT (LOT NUMBER) (DATE) 5/8 AII	5/8
090646	07 12	64700	PARKER 293-4 AIR BRAKE 5MM (3/16) SAE J1402 WP3.5 MPA (500 PSI)	DOT (LOT NUMBER) (DATE) 3/16 AI	3/16
090647	07 12	64700	PARKER 293-5 AIR BRAKE 6.30MM (1/4) SAE J1402 WP3.50MPA (500 PSI)	DOT (LOT NUMBER) (DATE) 1/4 AI	1/4
090648	07 12	64700	PARKER 293-6 AIR BRAKE 8MM (5/16) SAE J1402 WP3.5 MPA (500 PSI)	DOT (LOT NUMBER) (DATE) 5/16 AI	5/16
090649	07 12	64700	PARKER 293.8 AIR BRAKE 10MM (13/32) SAE J1402 WP3.5 MPA (500 PSI)	DOT (LOT NUMBER) (DATE) 13/32 AI	13/32
090650	07 12	64700	PARKER 293.10 AIR BRAKE 12.5MM (1/2) SAE J1402 WP3.5 MPA (500 PSI)	DOT (LOT NUMBER) (DATE) 1/2AI	1/2
090651	07 12	64700	PARKER 293-12 AIR BRAKE 16MM (5/8) SAE J1402 WP3.5 MPA (500 PSI)	DOT (LOT NUMBER) (DATE) 5/8 AI	5/8
090652	07 12	64700	PARKER 266-4 AIR BRAKE 5MM (5/16) SAE 1402 WP 14.0 MPA (2000 PSI)	DOT (LOT NUMBER) (DATE) 3/16 AII	5/16
090653	07 12	64700	PARKER 266.5 AIR BRAKE 6.3MM (1/4) SAE 1402 WP 10.5 MPA (1500 PSI)	DOT (LOT NUMBER) (DATE) 1/4 AII	1/4
090654	07 12	64700	PARKER 266-6 AIR BRAKE 8MM (5/16) SAE 1402 WP 8.7 MPA (250 PSI)	DOT (LOT NUMBER) (DATE) 5/16 AII	5/16

AIR BRAKE HOSE

2/17/2010

SECTION 19-3

NUMBER	EXPIR	APPL #	MARKINGS - ONE SIDE	MARKINGS - OTHER SIDE (END FITTING)	SIZE
090655	07 12	64700	PARKER 266-8 AIR BRAKE 10MM (13/32) SAE 1402 WP 8.7 MPA (1250 PSI)	DOT (LOT NUMBER) (DATE) 13/32 AII	13/32
090656	07 12	64700	PARKER 266-10 AIR BRAKE 12.5MM (1/2) SAE 1402 WP 8.7 MPA (1250 PSI)	DOT (LOT NUMBER) (DATE) 1/2 AII	1/2
090657	07 12	64700	PARKER 266-12 AIR BRAKE 16MM (5/8) SAE J1402 WP5.2MPA (750 PSI)	DOT (LOT NUMBER) (DATE) 5/8 AI	5/8
090658	07 12	64700	PARKER 293-4 AIR BRAKE 5MM (3/16) SAE J1402 WP14.0 MPA (2000 PSI)	DOT (LOT NUMBER) (DATE) 3/16 AI	3/16
090659	07 12	64700	PARKER 213-5 AIR BRAKE 6.3MM (1/4) SAE J1402 WP10.5 MPA (1500 PSI)	DOT (LOT NUMBER) (DATE) 1/4 AI	1/4
090660	07 12	64700	PARKER 213-6 AIR BRAKE 8MM (5/16) SAE J1402 WP10.5 MPA (1500 PSI)	DOT (LOT NUMBER) (DATE) 5/16 AI	5/16
090661	07 12	64700	PARKER 293-8 AIR BRAKE 10MM (13/32) SAE J1402 WP8.7 MPA (1250 PSI)	DOT (LOT NUMBER) (DATE) 13/32 AI	13/32
090662	07 12	64700	PARKER 213-10 AIR BRAKE 12.5 MM (1/2) SAE J1402 WP 7 MPA (1000 PSI)	DOT (LOT NUMBER) (DATE) 1/2 AI	1/2
090663	07 12	64700	PARKER 213-12 AIR BRAKE 16MM (5/8) SAE J1402 WP5.2 MPA (750 PSI)	DOT (LOT NUMBER) (DATE) 5/8 AI	5/8
090664	07 12	64700	PARKER 206-4 SAE 1402 AIR BRAKE 5MM (3/16) SAE 100R5 WP 21 MPA (3000 PSI)	DOT (LOT NUMBER) (DATE) 3/16 AII	3/16
090665	07 12	64700	PARKER 206-5 SAE J1402 AIR BRAKE 6,3MM (1/4) SAE 100R5 WP21 MPA (3000 PSI)	DOT (LOT NUMBER) (DATE) 1/4 AII	1/4
090666	07 12	64700	PARKER 206-6 SAE J1402 AIR BRAKE 8MM (5/16) SAE 100R5 WP 15.7 MPA (2250 PSI)	DOT (LOT NUMBER) (DATE) 5/16 AII	5/16
090667	07 12	64700	PARKER 206-8 SAE J1402 AIR BRAKE 10MM (13/32) SAE 100R5 WP 14,0 MPA (2000 PSI)	DOT (LOT NUMBER) (DATE) 13/32 AII	13/32
090668	07 12	64700	PARKER 206-10 SAE J1402 AIR BRAKE 12,7MM (1/2) SAE 100R5 WP 12,2 MPA (1750 PSI)	DOT (LOT NUMBER) (DATE) 1/2 AII	1/2
090669	07 12	64700	PARKER 206-12 AIR BRAKE 16MM (5/8) SAE J1402 WP10.5 MPA (1500 PSI)	DOT (LOT NUMBER) (DATE) 5/8 AII	5/8
080293	01 10	01650	PIRTEK HI-TEMP 10.3MM (13/32) R5HT 207 BAR (3000 PSI) SAE 100R5	DOT (DATE) AII AIR BRAKE 10.3MM (13/32") AII EATON (DATE) DOT AII 13/32	13/32

AIR BRAKE HOSE

2/17/2010

SECTION 19-4

NUMBER	EXPIR	APPL #	MARKINGS - ONE SIDE	MARKINGS - OTHER SIDE (END FITTING)	SIZE
081044	01 10	01650	PIRTEK HIGH TEMP AIRBRAKE 6.4MM (1/4") HTAB-05 DOT 54412 AII (DATE) MADE IN U.S.A.	EATON 1210 DOT AII 1/4	1/4
081048	07 11	01650	PIRTEK HIGH TEMP AIRBRAKE 15.9MM (5/8") HTAB-12 52 BAR DOT 54412 AII (DATE) MADE IN USA	EATON 1210 DOT AII 5/8	5/8
070169	01 10	01650	WEATHERHEAD AIR BRAKE 6.3MM [1/4"] A H33806 DOT	(DATE) 6.3MM [1/4"] A	1/4
070170	01 10	01650	WEATHERHEAD AIR BRAKE 9.5MM [3/8"] A H33806 DOT	(DATE) 9.5MM [3/8"] A	3/8
070171	01 10	01650	WEATHERHEAD AIR BRAKE 12.5MM [1/2"] A H3380 DOT	(DATE) 12.5MM [1/2"] A	1/2