



**AMECA Compliance List
of Automotive Safety Devices**

Air Brake Hose

August 2010



**Compliance List of
Automotive Safety Devices**

Air Brake Hose

For Three-Year Period 2007-2010

August 2010 Update

**Automotive Manufacturers Equipment Compliance Agency, Inc.
P.O. Box 76960 • National Capitol Station • Washington, D.C.
20013-6960**

**1025 Connecticut Avenue, NW Suite #1012
Washington DC 20036
www.ameca.org**

FOREWORD

This publication is a compilation of regulated motor vehicle safety equipment items which have been tested to recognized standards by accredited testing laboratories and found to be in compliance with jurisdictional requirements as overseen by the Automotive Manufacturers Equipment Compliance Agency, Inc (AMECA).

The AMECA *Compliance List* is published in monthly and contains all valid AMECA Notice's of Equipment Compliance™ issued during the previous three years plus any new compliance documents added in the previous month. The monthly *Compliance List* is uploaded to the website www.ameca.org under the page titled: *Handbook of Compliant Automotive Safety Devices*. This web-based accessibility allows jurisdictions all-hours field access to information relevant to accident investigations, anti-counterfeit actions, and compliant product purchasing.

If you would like to receive notification of the updated AMECA *Compliance List* please send an email to: Subscriptions@ameca.org with the sections you wish to receive in the body of the email.

Every effort is made to accurately report all new, renewed and revised items from every AMECA compliant participating manufacturers. Your suggestions are always welcome and AMECA is proud to serve law enforcement at every level. AMECA exists to serve you.

Information relative to the preparation of submissions for Notices of Equipment Compliance™ can be found in the *Manufacturers Guide for Safety Equipment Compliance Services*. This guide also contains general AMECA program information. A complete listing of safety-related items covered by AMECA is also available at www.ameca.org.

Grateful acknowledgment is made to those who have cooperated in making this listing possible.

SECTION 19

AIR BRAKE HOSE

THESE DEVICES ARE LISTED IN ALPHANUMERIC SEQUENCE BY HOSE MARKINGS.

19-B
THIS SIDE INTENTIONALLY BLANK

ACTIVE CODES FOR AIR BRAKE HOSE

August 2010

| CODE | APPLICANT |
|-------|---------------------------------|
| 01650 | EATON AEROQUIP CORPORATION |
| 61750 | NEPHI RUBBER PRODUCTS |
| 64700 | PARKER HANNIFIN CORPORATION |
| 66351 | POLIMER KAUCUK SAN. VE PAZ A.S. |

THIS SIDE INTENTIONALLY BLANK

AIR BRAKE HOSE

August 2010

SECTION 19-1

| NUMBER | EXPIR | APPL # | MARKINGS - ONE SIDE | MARKINGS - OTHER SIDE (END FITTING) | SIZE |
|--------|-------|-----------|--------------------------------------|--|-------|
| 100367 | 01 13 | 01650 | AEROQUIP 1503-5 SAE 100R5 | OPPOSITE: DOT (DATE) AIR BRAKE SAE J1402 6.4MM (1/4") AII END FITTING REUSABLE: EATON (DATE) DOT AII 1/4 PERMANENT: (NONE) | 1/4 |
| 100183 | 01 13 | 01650 | AEROQUIP 1503-10 SAE 100R5 | DOT (DATE) AIR BRAKE SAE J1402 12.7MM (1/2") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 1/2; PERMANENT: (NONE) | 1/2 |
| 100184 | 01 13 | 01650 | AEROQUIP 1503-12 SAE 100R5 | DOT (DATE) AIR BRAKE SAE J1402 15.9MM (5/8") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/8; PERMANENT: (NONE) | 5/8 |
| 100366 | 01 13 | 01650 | AEROQUIP 1503-4 SAE 100R5 | DOT (DATE) AIR BRAKE SAE J1402 4.8MM (3/16") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 3/16 PERMANENT: (NONE) | 3/16 |
| 100182 | 01 13 | 01650 | AEROQUIP 1503-8 SAE 100R5 | DOT (DATE) AIR BRAKE SAE J1402 10.3MM (13/32") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 13/32; PERMANENT: (NONE) | 13/32 |
| 080289 | 01 11 | 01650 | AEROQUIP 1503-8 SAE 100R5 DOT (DATE) | EATON (DATE) AII 13/32 AIR BRAKE 13/32 AII | 13/32 |
| 100181 | 01 13 | 01650 | AEROQUIP 1506-6 SAE 100R5 | DOT (DATE) AIR BRAKE SAE J1402 7.9MM (5/16") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/16; PERMANENT: (NONE) | 5/16 |
| 100175 | 01 13 | 01650 | AEROQUIP FC300-04 AQP 23 SAE 100R5 | DOT (DATE) AIR BRAKE SAE J1402 4.8MM (3/16") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 3/16; PERMANENT: (NONE) | 3/16 |
| 100176 | 01 13 | 01650 | AEROQUIP FC300-05 AQP 23 SAE 100R5 | DOT (DATE) AIR BRAKE SAE J1402 6.4MM (1/4") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 1/4; PERMANENT: (NONE) | 1/4 |
| 100177 | 01 13 | 01650 | AEROQUIP FC300-06 A QP 23 SAE 100R5 | DOT (DATE) AIR BRAKE SAE J1402 7.9MM (5/16") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/16; PERMANENT: (NONE) | 5/16 |
| 100178 | 01 13 | 01650 | AEROQUIP FC300-08 AQP 23 SAE 100R5 | DOT (DATE) AIR BRAKE SAE J1402 10.3MM (13/32") END FITTING: REUSABLE: EATON (DATE) DOT AII 13/32; PERMANENT: (NONE) | 13/32 |
| 100179 | 01 13 | 01650 | AEROQUIP FC300-10 AQP 23 SAE 100R5 | DOT (DATE) AIR BRAKE SAE J1402 12.7MM (1/2") AII END FITTING: REUSABLE: EATON (DATE) DOT AII | 1/2 |

AIR BRAKE HOSE

August 2010

SECTION 19-2

| NUMBER | EXPIR | APPL # | MARKINGS - ONE SIDE | MARKINGS - OTHER SIDE (END FITTING) | SIZE |
|--------|-------|-----------|--|---|-------|
| | | | | 1/2; PERMANENT: (NONE) | |
| 100180 | 01 13 | 01650 | AEROQUIP FC300-12 AQP 23 SAE 100R5 | DOT (DATE) AIR BRAKE SAE J1402 15.9MM (5/8") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/8; PERMANENT: (NONE) | 5/8 |
| 100185 | 07 12 | 01650 | AEROQUIP FC350-05 AQP 23 | DOT (DATE) AIR BRAKE SAE J1402 6.4MM (1/4") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 1/4; PERMANENT: (NONE) | 1/4 |
| 100186 | 07 12 | 01650 | AEROQUIP FC350-06 AQP 23 | DOT (DATE) AIR BRAKE SAE J1402 7.9MM (5/16") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/16; PERMANENT: (NONE) | 5/16 |
| 100187 | 07 12 | 01650 | AEROQUIP FC350-08 AQP 23 | DOT (DATE) AIR BRAKE SAE J1402 10.3MM (13/32") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 13/32; PERMANENT: (NONE) | 13/32 |
| 100188 | 07 12 | 01650 | AEROQUIP FC350-12 AQP 23 | DOT (DATE) AIR BRAKE SAE J1402 15.9MM (5/8") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/8; PERMANENT: (NONE) | 5/8 |
| 090961 | 01 13 | 01650 | DOT AEROQUIP HC 101-08 (DATE) 1/2" SAE J1402 TIPO A AIR BRAKE | (NONE) | 1/2 |
| 090962 | 01 13 | 01650 | DOT AEROQUIP HC 101-10 (DATE) 5/8" SAE J1402 TIPO A AIR BRAKE | (NONE) | 5/8 |
| 080474 | 01 11 | 01650 | DOT AEROQUIP HC10000-4 (DATE) 1/4 SAE J1402 A AIR BRAKE | EATON | 1/4 |
| 090959 | 01 13 | 01650 | DOT AEROQUIP HC101-04 (DATE) 1/4" SAE J1402 TIPO A AIR BRAKE | (NONE) | 1/4 |
| 090960 | 01 13 | 01650 | DOT AEROQUIP HC101-06 (DATE) 3/8" SAE J1402 TIPO A AIR BRAKE | (NONE) | 3/8 |
| 081029 | 07 11 | 66351 | DOT SEL (POLIMER KAUCUK LOGO) 1 1/8 AII | (NONE) | 1 1/8 |
| 081027 | 07 11 | 66351 | DOT SEL (POLIMER KAUCUK LOGO) 13/32 AII | (NONE) | 13/32 |
| 081028 | 07 11 | 66351 | DOT SEL (POLIMER KAUCUK LOGO) 7/8 AII | (NONE) | 7/8 |
| 080727 | 07 11 | 61750 | NRP-JONES ALL TEMP 1/2" (12.7MM) SAE 100R5-10 1750 PSI W.P. SAE J1402 DOT AII AIR BRAKE AII 52684 (DATE) MADE IN USA | REUSABLE: DOT AII LENZ 1/2 R5-10 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2 | 1/2 |

AIR BRAKE HOSE

August 2010

SECTION 19-3

| NUMBER | EXPIR | APPL # | MARKINGS - ONE SIDE | MARKINGS - OTHER SIDE (END FITTING) | SIZE |
|--------|-------|-----------|--|---|-------|
| 080724 | 07 11 | 61750 | NRP-JONES ALL TEMP 1/4" (6.4MM) SAE 100R5-5 3000 PSI W.P. SAE J1402 DOT AII AIR BRAKE AII 52684 (DATE) MADE IN USA | REUSABLE: DOT AII LENZ 1/4 R5-5 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2 | 1/4 |
| 080726 | 07 11 | 61750 | NRP-JONES ALL TEMP 13/32" (10.3MM) SAE100R5-8 2000 PSI W.P. SAE J1402 DOT AII AIR BRAKE AII 52684 (DATE) MADE IN USA | REUSABLE: DOT AII LENZ 13/32 R5-8 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2 | 13/32 |
| 080729 | 07 11 | 61750 | NRP-JONES ALL TEMP 3/16" (4.8MM) SAE 100R5-4 3000 PSI W.P. SAE J1402 DOT AII AIR BRAKE AII 52684 (DATE) MADE IN USA | REUSABLE: DOT AII LENZ 3/16 R5-4 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2 | 3/16 |
| 080725 | 07 11 | 61750 | NRP-JONES ALL TEMP 5/16 INCH (7.99MM) SAE100R5-6 2250 PSI W.P. SAE J1402 DOT AII AIR BRAKE AII 52684 (DATE) MADE IN USA | REUSABLE: DOT AII LENZ 5/16 R5-6 CRIMPED: NONE, CONFROMS TO FMVSS 106 S 7.2.2 | 5/16 |
| 080728 | 07 11 | 61750 | NRP-JONES ALL TEMP 5/8 INCH (15.9MM) SAE 100R5-12 1500 PSI W.P. SAE J1402 DOT AII AIR BRAKE AII 52684 (DATE) MADE IN USA | REUSABLE: DOT AII LENZ 5/8 R5-12 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2 | 5/8 |
| 100091 | 07 12 | 61750 | NRP-JONES ALL TEMP A803 1/2 INCH (12.7MM) SAE 100R5-10/J1402 DOT AIR BRAKE AII 52684 (DATE) MADE IN USA | (NONE) REUSABLE: DOT AII LENZ 1/2 R5-10 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2 | 1/2 |
| 100088 | 07 12 | 61750 | NRP-JONES ALL TEMP A803 1/4 INCH (6.4MM) SAE 100R5-5/J1402 DOT AIR BRAKE AII 52684 (DATE) MADE IN USA | (NONE) REUSABLE: DOT AII LENZ 1/4 R5-5 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2 | 1/4 |
| 100090 | 07 12 | 61750 | NRP-JONES ALL TEMP A803 13/22 INCH (10.3MM) SAE 100R5-8/J1402 DOT AIR BRAKE AII 52684 (DATE) MADE IN USA | (NONE) REUSABLE: DOT AII LENZ 13/22 R5-8 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2 | 1/4 |
| 100087 | 07 12 | 61750 | NRP-JONES ALL TEMP A803 3/16 INCH (4.8MM) SAE 100R5-4/J1402 DOT AIR BRAKE AII52684 (DATE) MADE IN USA | (NONE) REUSABLE: DOT AII LENZ 3/16 R5-4 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2 | 3/16 |
| 100089 | 07 12 | 61750 | NRP-JONES ALL TEMP A803 5/16 INCH (7.9MM) SAE 100R5-6/J1402 DOT AIR BRAKE AII 52684 (DATE) MADE IN USA | (NONE) REUSABLE: DOT AII LENZ 5/16 R5-6 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2 | 5/16 |
| 100092 | 07 12 | 61750 | NRP-JONES ALL TEMP A803 5/8 INCH (15.9MM) SAE 100R5-12/J1402 DOT AIR BRAKE AII 52684 (DATE) MADE IN USA | (NONE) REUSABLE: DOT AII LENZ 5/8 R5-12 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2 | 5/8 |

AIR BRAKE HOSE

August 2010

SECTION 19-4

| NUMBER | EXPIR | APPL # | MARKINGS - ONE SIDE | MARKINGS - OTHER SIDE (END FITTING) | SIZE |
|--------|-------|-----------|---|-------------------------------------|-------|
| 080644 | 07 11 | 64700 | PARKER 201-10 AIR BRAKE 12.5MM (1/2) SAE J1402 WP 12,0 MPA (1750 PSI) SAE 100R5 | DOT (LOT NUMBER) (DATE) 1/2 AII | 1/2 |
| 080645 | 07 11 | 64700 | PARKER 201-12 AIR BRAKE 16MM (5/8) SAE J1402 WP5.2 MPA (750 PSI) SAE 100R5 | DOT (LOT NUMBER) (DATE) 5/8 AII | 5/8 |
| 080640 | 07 11 | 64700 | PARKER 201-45MM (3/16) SAE J1402 WP20,1 MPA AIR BRAKE (3000PSI) SAE 100R5 | DOT (LOT NUMBER) (DATE) 3/16 AII | 3/16 |
| 080641 | 07 11 | 64700 | PARKER 201-5 AIR BRAKE 6,3MM (1/4) SAE J1402 WP21.0 MPA (3000 PSI) SAE 100R5 | DOT (LOT NUMBER) (DATE) 1/4 AII | 1/4 |
| 080642 | 07 11 | 64700 | PARKER 201-6 AIR BRAKE 8MM (5/16) SAE J1402 WP 15,7 MPA (2250PSI) SAE 100R5 | DOT (LOT NUMBER) (DATE) 5/16 AII | 13/32 |
| 080643 | 07 11 | 64700 | PARKER 201-8 AIR BRAKE 10MM (13/32) SAE J1402 WP 13,8 MPA (2000PSI) SAE 100R5 | DOT (LOT NUMBER) (DATE) 13/32 AII | 13/32 |
| 090668 | 07 12 | 64700 | PARKER 206-10 SAE J1402 AIR BRAKE 12,7MM(1/2) SAE 100R5 WP 12,2 MPA (1750 PSI) | DOT (LOT NUMBER) (DATE) 1/2 AII | 1/2 |
| 090669 | 07 12 | 64700 | PARKER 206-12 AIR BRAKE 16MM (5/8) SAE J1402 WP10.5 MPA (1500 PSI) | DOT (LOT NUMBER) (DATE) 5/8 AII | 5/8 |
| 090664 | 07 12 | 64700 | PARKER 206-4 SAE 1402 AIR BRAKE 5MM (3/16) SAE 100R5 WP 21 MPA (3000 PSI) | DOT (LOT NUMBER) (DATE) 3/16 AII | 3/16 |
| 090665 | 07 12 | 64700 | PARKER 206-5 SAE J1402 AIR BRAKE 6,3MM (1/4) SAE 100R5 WP21 MPA (3000 PSI) | DOT (LOT NUMBER) (DATE) 1/4 AII | 1/4 |
| 090666 | 07 12 | 64700 | PARKER 206-6 SAE J1402 AIR BRAKE 8MM (5/16) SAE 100R5 WP 15.7 MPA (2250 PSI) | DOT (LOT NUMBER) (DATE) 5/16 AII | 5/16 |
| 090667 | 07 12 | 64700 | PARKER 206-8 SAE J1402 AIR BRAKE 10MM(13/32) SAE 100R5 WP 14,0 MPA (2000 PSI) | DOT (LOT NUMBER) (DATE) 13/32 AII | 13/32 |
| 090662 | 07 12 | 64700 | PARKER 213-10 AIR BRAKE 12.5 MM (1/2) SAE J1402 WP 7 MPA (1000 PSI) | DOT (LOT NUMBER) (DATE) 1/2 AI | 1/2 |
| 090663 | 07 12 | 64700 | PARKER 213-12 AIR BRAKE 16MM (5/8) SAE J1402 WP5.2 MPA (750 PSI) | DOT (LOT NUMBER) (DATE) 5/8 AI | 5/8 |
| 090659 | 07 12 | 64700 | PARKER 213-5 AIR BRAKE 6.3MM (1/4) SAE J1402 WP10.5 MPA (1500 PSI) | DOT (LOT NUMBER) (DATE) 1/4 AI | 1/4 |
| 090660 | 07 12 | 64700 | PARKER 213-6 AIR BRAKE 8MM (5/16) SAE J1402 WP10.5 MPA (1500 PSI) | DOT (LOT NUMBER) (DATE) 5/16 AI | 5/16 |

AIR BRAKE HOSE

August 2010

SECTION 19-5

| NUMBER | EXPIR | APPL # | MARKINGS - ONE SIDE | MARKINGS - OTHER SIDE (END FITTING) | SIZE |
|--------|-------|-----------|---|---|-------|
| 090653 | 07 12 | 64700 | PARKER 266.5 AIR BRAKE 6.3MM (1/4) SAE 1402 WP 10.5 MPA (1500 PSI) | DOT (LOT NUMBER) (DATE) 1/4 AII | 1/4 |
| 090656 | 07 12 | 64700 | PARKER 266-10AIR BRAKE 12.5MM (1/2) SAE 1402 WP 8.7 MPA (1250 PSI) | DOT (LOT NUMBER) (DATE) 1/2 AII | 1/2 |
| 090657 | 07 12 | 64700 | PARKER 266-12 AIR BRAKE 16MM (5/8) SAE J1402 WP5.2MPA (750 PSI) | DOT (LOT NUMBER) (DATE) 5/8 AI | 5/8 |
| 090652 | 07 12 | 64700 | PARKER 266-4 AIR BRAKE 5MM (5/16) SAE 1402 WP 14.0 MPA (2000 PSI) | DOT (LOT NUMBER) (DATE) 3/16 AII | 5/16 |
| 090654 | 07 12 | 64700 | PARKER 266-6 AIR BRAKE 8MM (5/16) SAE 1402 WP 8.7 MPA (250 PSI) | DOT (LOT NUMBER) (DATE) 5/16 AII | 5/16 |
| 090655 | 07 12 | 64700 | PARKER 266-8 AIR BRAKE 10MM (13/32) SAE 1402 WP 8.7 MPA (1250 PSI) | DOT (LOT NUMBER) (DATE) 13/32 AII | 13/32 |
| 100528 | 07 13 | 64700 | PARKER 271-4 AIR BRAKE 1/4 SAE J1402 A DOT (DATE) 6.3 WP1.6 MPA (225 PSI) | OPPOSITE: (NONE) FITTING: 25 SERIES: (NONE) NOTE: MEETS SECTION 49 CFR 571.106 S7.2.2 | 1/4 |
| 100529 | 07 13 | 67400 | PARKER 271-6 AIR BRAKE 3/8 SAE J1402 A DOT (DATE) 9.5 WP1.6 MPA (225 PSI) | OPPOSITE: (NONE) FITTING: 25 SERIES: (NONE) NOTE: MEETS SECTION 49 CFR 571.106 S7.2.2 FITTING: 68RB OR AC: DOT P (PARKER LOGO) 3/8 | 3/8 |
| 100530 | 07 13 | 67400 | PARKER 271-8 AIR BRAKE 1/2 SAE J1402 A DOT (DATE) 12.7MM WP1.6 MPA (225 PSI) | OPPOSITE: (NONE) FITTING: 25 SERIES: (NONE) NOTE: MEETS SECTION 49 CFR 571.106 S7.2.2 FITTING: 68RB OR AC: DOT P (PARKER LOGO) 3/8 | 1/2 |
| 090650 | 07 12 | 64700 | PARKER 293.10 AIR BRAKE 12.5MM (1/2) SAE J1402 WP3.5 MPA (500 PSI) | DOT (LOT NUMBER) (DATE) 1/2AI | 1/2 |
| 090649 | 07 12 | 64700 | PARKER 293.8 AIR BRAKE 10MM (13/32) SAE J1402 WP3.5 MPA (500 PSI) | DOT (LOT NUMBER) (DATE) 13/32 AI | 13/32 |
| 090651 | 07 12 | 64700 | PARKER 293-12 AIR BRAKE 16MM (5/8) SAE J1402 WP3.5 MPA (500 PSI) | DOT (LOT NUMBER) (DATE) 5/8 AI | 5/8 |
| 090658 | 07 12 | 64700 | PARKER 293-4 AIR BRAKE 5MM (3/16) SAE J1402 WP14.0 MPA (2000 PSI) | DOT (LOT NUMBER) (DATE) 3/16 AI | 3/16 |
| 090646 | 07 12 | 64700 | PARKER 293-4 AIR BRAKE 5MM (3/16) SAE J1402 WP3.5 MPA (500 PSI) | DOT (LOT NUMBER) (DATE) 3/16 AI | 3/16 |

AIR BRAKE HOSE

August 2010

SECTION 19-6

| NUMBER | EXPIR | APPL # | MARKINGS - ONE SIDE | MARKINGS - OTHER SIDE (END FITTING) | SIZE |
|--------|-------|-----------|--|-------------------------------------|-------|
| 090647 | 07 12 | 64700 | PARKER 293-5 AIR BRAKE 6.30MM (1/4) SAE J1402 WP3.50MPA (500 PSI) | DOT (LOT NUMBER) (DATE) 1/4 AI | 1/4 |
| 090648 | 07 12 | 64700 | PARKER 293-6 AIR BRAKE 8MM (5/16) SAE J1402 WP3.5 MPA (500 PSI) | DOT (LOT NUMBER) (DATE) 5/16 AI | 5/16 |
| 090661 | 07 12 | 64700 | PARKER 293-8 AIR BRAKE 10MM (13/32) SAE J1402 WP8.7 MPA (1250 PSI) | DOT (LOT NUMBER) (DATE) 13/32 AI | 13/32 |
| 100195 | 07 13 | 64700 | PARKER 296-10 AIR BRAKE 12,5MM (1/2) SAE J1402 WP3,5 MPA (500 PSI) | DOT (DATE) 1/2 AII | 1/2 |
| 100193 | 07 13 | 64700 | PARKER 296-6 AIR BRAKE 8MM (5/16) SAE J1402 WP3,5 MPA (500 PSI) | DOT (DATE) 5/16 AII | 5/16 |
| 100194 | 07 13 | 64700 | PARKER 296-8 AIR BRAKE 10MM (13/32) SAE J1402 WP3,5 MPA (500 PSI) | DOT (DATE) 13/32 AII | 13/32 |
| 081048 | 07 11 | 01650 | PIRTEK HIGH TEMP AIRBRAKE 15.9MM (5/8") HTAB-12 52 BAR DOT 54412 AII (DATE) | EATON 1210 DOT AII 5/8 MADE IN USA | 5/8 |