



**AMECA Compliance List
of Automotive Safety Devices**

Air Brake Hose

January 2012



**Compliance List of
Automotive Safety Devices**

Air Brake Hose

For Three-Year Period 2009-2012

January 2012 Update

**Automotive Manufacturers Equipment Compliance Agency, Inc.
P.O. Box 76960 • National Capitol Station • Washington, D.C.
20013-6960**

**1025 Connecticut Avenue, NW Suite #1012
Washington DC 20036
www.ameca.org**

FOREWORD

This publication is a compilation of regulated motor vehicle safety equipment items which have been tested to recognized standards by accredited testing laboratories and found to be in compliance with jurisdictional requirements as overseen by the Automotive Manufacturers Equipment Compliance Agency, Inc (AMECA).

The AMECA *Compliance List* is published in monthly and contains all valid AMECA Notice's of Equipment Compliance™ issued during the previous three years plus any new compliance documents added in the previous month. The monthly *Compliance List* is uploaded to the website www.ameca.org under the page titled: *Handbook of Compliant Automotive Safety Devices*. This web-based accessibility allows jurisdictions all-hours field access to information relevant to accident investigations, anti-counterfeit actions, and compliant product purchasing.

If you would like to receive notification of the updated AMECA *Compliance List* please send an email to: Subscriptions@ameca.org with the sections you wish to receive in the body of the email.

Every effort is made to accurately report all new, renewed and revised items from every AMECA compliant participating manufacturers. Your suggestions are always welcome and AMECA is proud to serve law enforcement at every level. AMECA exists to serve you.

Information relative to the preparation of submissions for Notices of Equipment Compliance™ can be found in the *Manufacturers Guide for Safety Equipment Compliance Services*. This guide also contains general AMECA program information. A complete listing of safety-related items covered by AMECA is also available at www.ameca.org.

Grateful acknowledgment is made to those who have cooperated in making this listing possible.

SECTION 19

AIR BRAKE HOSE

THESE DEVICES ARE LISTED IN ALPHANUMERIC SEQUENCE BY HOSE MARKINGS.

19-B
THIS SIDE INTENTIONALLY BLANK

ACTIVE CODES FOR AIR BRAKE HOSE

January 2012

CODE	APPLICANT
01650	EATON AEROQUIP CORPORATION
06740	BRASS PRO INDUSTRIAL
52221	JUST IN HARDWARE CO. LTD.
57976	MEIJI FLOW SYSTEMS CO., LTD.
61750	NEPHI RUBBER PRODUCTS
64700	PARKER HANNIFIN CORPORATION
66351	POLIMER KAUCUK SAN. VE PAZ A.S.

THIS SIDE INTENTIONALLY BLANK

AIR BRAKE HOSE

January 2012

SECTION 19-1

NUMBER	EXPIR	APPL #	MARKINGS - ONE SIDE	MARKINGS - OTHER SIDE (END FITTING)	SIZE
100367	01 13	01650	AEROQUIP 1503-5 SAE 100R5	OPPOSITE: DOT (DATE) AIR BRAKE SAE J1402 6.4MM (1/4") AII END FITTING REUSABLE: EATON (DATE) DOT AII 1/4 PERMANENT: (NONE)	1/4
100183	01 13	01650	AEROQUIP 1503-10 SAE 100R5	DOT (DATE) AIR BRAKE SAE J1402 12.7MM (1/2") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 1/2; PERMANENT: (NONE)	1/2
100184	01 13	01650	AEROQUIP 1503-12 SAE 100R5	DOT (DATE) AIR BRAKE SAE J1402 15.9MM (5/8") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/8; PERMANENT: (NONE)	5/8
100366	01 13	01650	AEROQUIP 1503-4 SAE 100R5	DOT (DATE) AIR BRAKE SAE J1402 4.8MM (3/16") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 3/16 PERMANENT: (NONE)	3/16
100182	01 13	01650	AEROQUIP 1503-8 SAE 100R5	DOT (DATE) AIR BRAKE SAE J1402 10.3MM (13/32") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 13/32; PERMANENT: (NONE)	13/32
100181	01 13	01650	AEROQUIP 1506-6 SAE 100R5	DOT (DATE) AIR BRAKE SAE J1402 7.9MM (5/16") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/16; PERMANENT: (NONE)	5/16
100175	01 13	01650	AEROQUIP FC300-04 AQP 23 SAE 100R5	DOT (DATE) AIR BRAKE SAE J1402 4.8MM (3/16") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 3/16; PERMANENT: (NONE)	3/16
100176	01 13	01650	AEROQUIP FC300-05 AQP 23 SAE 100R5	DOT (DATE) AIR BRAKE SAE J1402 6.4MM (1/4") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 1/4; PERMANENT: (NONE)	1/4
100177	01 13	01650	AEROQUIP FC300-06 A QP 23 SAE 100R5	DOT (DATE) AIR BRAKE SAE J1402 7.9MM (5/16") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/16; PERMANENT: (NONE)	5/16
100178	01 13	01650	AEROQUIP FC300-08 AQP 23 SAE 100R5	DOT (DATE) AIR BRAKE SAE J1402 10.3MM (13/32") END FITTING: REUSABLE: EATON (DATE) DOT AII 13/32; PERMANENT: (NONE)	13/32
100179	01 13	01650	AEROQUIP FC300-10 AQP 23 SAE 100R5	DOT (DATE) AIR BRAKE SAE J1402 12.7MM (1/2") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 1/2; PERMANENT: (NONE)	1/2

AIR BRAKE HOSE

January 2012

SECTION 19-2

NUMBER	EXPIR	APPL #	MARKINGS - ONE SIDE	MARKINGS - OTHER SIDE (END FITTING)	SIZE
100180	01 13	01650	AEROQUIP FC300-12 AQP 23 SAE 100R5	DOT (DATE) AIR BRAKE SAE J1402 15.9MM (5/8") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/8; PERMANENT: (NONE)	5/8
100185	07 12	01650	AEROQUIP FC350-05 AQP 23	DOT (DATE) AIR BRAKE SAE J1402 6.4MM (1/4") AII END FITTING: REUSABLE: EATON (DATE) DOT AII1/4; PERMANENT: (NONE)	1/4
100186	07 12	01650	AEROQUIP FC350-06 AQP 23	DOT (DATE) AIR BRAKE SAE J1402 7.9MM (5/16") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/16; PERMANENT: (NONE)	5/16
100187	07 12	01650	AEROQUIP FC350-08 AQP 23	DOT (DATE) AIR BRAKE SAE J1402 10.3MM (13/32") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 13/32; PERMANENT: (NONE)	13/32
100188	07 12	01650	AEROQUIP FC350-12 AQP 23	DOT (DATE) AIR BRAKE SAE J1402 15.9MM (5/8") AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/8; PERMANENT: (NONE)	5/8
090961	01 13	01650	DOT AEROQUIP HC 101-08 (DATE) 1/2" SAE J1402 TIPO A AIR BRAKE	(NONE)	1/2
090962	01 13	01650	DOT AEROQUIP HC 101-10 (DATE) 5/8" SAE J1402 TIPO A AIR BRAKE	(NONE)	5/8
090959	01 13	01650	DOT AEROQUIP HC101-04 (DATE) 1/4" SAE J1402 TIPO A AIR BRAKE	(NONE)	1/4
090960	01 13	01650	DOT AEROQUIP HC101-06 (DATE) 3/8" SAE J1402 TIPO A AIR BRAKE	(NONE)	3/8
100091	07 12	61750	NRP-JONES ALL TEMP A803 1/2 INCH (12.7MM) SAE 100R5-10/J1402 DOT AIR BRAKE AII 52684 (DATE) MADE IN USA	(NONE) REUSABLE: DOT AII LENZ 1/2 R5-10 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2	1/2
100088	07 12	61750	NRP-JONES ALL TEMP A803 1/4 INCH (6.4MM) SAE 100R5-5/J1402 DOT AIR BRAKE AII 52684 (DATE) MADE IN USA	(NONE) REUSABLE: DOT AII LENZ 1/4 R5-5 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2	1/4
100090	07 12	61750	NRP-JONES ALL TEMP A803 13/22 INCH (10.3MM) SAE 100R5-8/J1402 DOT AIR BRAKE AII 52684 (DATE) MADE IN USA	(NONE) REUSABLE: DOT AII LENZ 13/22 R5-8 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2	1/4
100087	07 12	61750	NRP-JONES ALL TEMP A803 3/16 INCH (4.8MM) SAE	(NONE) REUSABLE: DOT AII LENZ 3/16 R5-4	3/16

AIR BRAKE HOSE

January 2012

SECTION 19-3

NUMBER	EXPIR	APPL #	MARKINGS - ONE SIDE	MARKINGS - OTHER SIDE (END FITTING)	SIZE
			100R5-4/J1402 DOT AIR BRAKE AII52684 (DATE) MADE IN USA	CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2	
100089	07 12	61750	NRP-JONES ALL TEMP A803 5/6 INCH (7.9MM) SAE 100R5-6/J1402 DOT AIR BRAKE AII 52684 (DATE) MADE IN USA	(NONE) REUSABLE: DOT AII LENZ 5/16 R5-6 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2	5/16
100092	07 12	61750	NRP-JONES ALL TEMP A803 5/8 INCH (15.9MM) SAE 100R5-12/J1402 DOT AIR BRAKE AII 52684 (DATE) MADE IN USA	(NONE) REUSABLE: DOT AII LENZ 5/8 R5-12 CRIMPED: NONE, CONFORMS TO FMVSS 106 S 7.2.2	5/8
110308	07 14	64700	PARKER 201-10 12.5MM 1/2 SAE J1402 WP12.2 MPA (1750 PSI) SAE 100R5 MADE IN USA	OPPOSITE: AIR BRAKE DOT OELG7 (DATE) 1/2 AII END FITTING DOT AII- P (PARKER LOGO) 1/2 R5-10 (DATE, LOT NUMBER)	1/2
110309	07 14	64700	PARKER 201-12 16MM 5/8 SAE J1402 WP10.5 MPA (1500 PSI) SAE 100R5 MADE IN USA	OPPOSITE: AIR BRAKE DOT OELG7 (DATE) 5/8 AII END FITTING DOT AII- P (PARKER LOGO) 5/8 R5-12 (DATE, LOT NUMBER)	5/8
110304	07 14	64700	PARKER 201-4 5MM 3/16 SAE J1402 WP21,0 MPA (3000 PSI) SAE100R5 MADE IN USA	OPPOSITE: AIR BRAKE DOT EOELG7 (DATE) 3/16 AII END FITTING: DOT AII- P (PARKER LOGO) 3/16 R5-4 (DATE, LOT NUMBER)	3/16
110305	07 14	64700	PARKER 201-5 6.3 MM 1/4 SAE J1402 WP21,0 MPA (3000 PSI) SAE 100R5 MADE IN USA	OPPOSITE: AIR BRAKE DOT OELG7 (DATE) 1/4 AII END FITTING: DOT AII-P (PARKER LOGO) 1/4 R5-5 (DATE, LOT NUMBER)	1/4
110306	07 14	64700	PARKER 201-6 8MM 5/16 SAE J1402 WP15,7 MPA (2250 PSI) SAE 100R5 MADE IN USA	OPPOSITE: AIR BRAKE DOT OELG7 (DATE) 5/16 AII END FITTING DOT AII- P (PARKER LOGO) 5/16 R5-6 (DATE, LOT NUMBER)	5/16
110307	07 14	64700	PARKER 201-8 11MM 13/32 SAE J1402 WP14,0 MPA (2000 PSI) SAE 100R5 MADE IN USA	OPPOSITE: AIR BRAKE DOT OELG7 (DATE) 13/32 AII END FITTING DOT AII- P (PARKER LOGO) 13/32 R5-8 (DATE, LOT NUMBER)	13/32
090668	07 12	64700	PARKER 206-10 SAE J1402 AIR BRAKE 12,7MM(1/2) SAE 100R5 WP 12,2 MPA (1750 PSI)	DOT (LOT NUMBER) (DATE) 1/2 AII	1/2
090669	07 12	64700	PARKER 206-12 AIR BRAKE 16MM (5/8) SAE J1402 WP10.5 MPA (1500 PSI)	DOT (LOT NUMBER) (DATE) 5/8 AII	5/8
090664	07 12	64700	PARKER 206-4 SAE 1402 AIR BRAKE 5MM (3/16) SAE 100R5 WP 21 MPA (3000 PSI)	DOT (LOT NUMBER) (DATE) 3/16 AII	3/16
090665	07 12	64700	PARKER 206-5 SAE J1402 AIR BRAKE 6,3MM (1/4) SAE	DOT (LOT NUMBER) (DATE) 1/4 AII	1/4

AIR BRAKE HOSE

January 2012

SECTION 19-4

NUMBER	EXPIR	APPL #	MARKINGS - ONE SIDE	MARKINGS - OTHER SIDE (END FITTING)	SIZE
			100R5 WP21 MPA (3000 PSI)		
090666	07 12	64700	PARKER 206-6 SAE J1402 AIR BRAKE 8MM (5/16) SAE 100R5 WP 15.7 MPA (2250 PSI)	DOT (LOT NUMBER) (DATE) 5/16 AII	5/16
090667	07 12	64700	PARKER 206-8 SAE J1402 AIR BRAKE 10MM(13/32) SAE 100R5 WP 14,0 MPA (2000 PSI)	DOT (LOT NUMBER) (DATE) 13/32 AII	13/32
090662	07 12	64700	PARKER 213-10 AIR BRAKE 12.5 MM (1/2) SAE J1402 WP 7 MPA (1000 PSI)	DOT (LOT NUMBER) (DATE) 1/2 AI	1/2
090663	07 12	64700	PARKER 213-12 AIR BRAKE 16MM (5/8) SAE J1402 WP5.2 MPA (750 PSI)	DOT (LOT NUMBER) (DATE) 5/8 AI	5/8
090659	07 12	64700	PARKER 213-5 AIR BRAKE 6.3MM (1/4) SAE J1402 WP10.5 MPA (1500 PSI)	DOT (LOT NUMBER) (DATE) 1/4 AI	1/4
090660	07 12	64700	PARKER 213-6 AIR BRAKE 8MM (5/16) SAE J1402 WP10.5 MPA (1500 PSI)	DOT (LOT NUMBER) (DATE) 5/16 AI	5/16
090653	07 12	64700	PARKER 266.5 AIR BRAKE 6.3MM (1/4) SAE 1402 WP 10.5 MPA (1500 PSI)	DOT (LOT NUMBER) (DATE) 1/4 AII	1/4
090656	07 12	64700	PARKER 266-10AIR BRAKE 12.5MM (1/2) SAE 1402 WP 8.7 MPA (1250 PSI)	DOT (LOT NUMBER) (DATE) 1/2 AII	1/2
090657	07 12	64700	PARKER 266-12 AIR BRAKE 16MM (5/8) SAE J1402 WP5.2MPA (750 PSI)	DOT (LOT NUMBER) (DATE) 5/8 AI	5/8
090652	07 12	64700	PARKER 266-4 AIR BRAKE 5MM (5/16) SAE 1402 WP 14.0 MPA (2000 PSI)	DOT (LOT NUMBER) (DATE) 3/16 AII	5/16
090654	07 12	64700	PARKER 266-6 AIR BRAKE 8MM (5/16) SAE 1402 WP 8.7 MPA (250 PSI)	DOT (LOT NUMBER) (DATE) 5/16 AII	5/16
090655	07 12	64700	PARKER 266-8 AIR BRAKE 10MM (13/32) SAE 1402 WP 8.7 MPA (1250 PSI)	DOT (LOT NUMBER) (DATE) 13/32 AII	13/32
100528	07 13	64700	PARKER 271-4 AIR BRAKE 1/4 SAE J1402 A DOT (DATE) 6.3 WP1.6 MPA (225 PSI)	OPPOSITE: (NONE) FITTING: 25 SERIES: (NONE) NOTE: MEETS SECTION 49 CFR 571.106 S7.2.2	1/4
100529	07 13	67400	PARKER 271-6 AIR BRAKE 3/8 SAE J1402 A DOT (DATE) 9.5 WP1.6 MPA (225 PSI)	OPPOSITE: (NONE) FITTING: 25 SERIES: (NONE) NOTE: MEETS SECTION 49 CFR 571.106 S7.2.2 FITTING: 68RB OR AC: DOT P (PARKER LOGO) 3/8	3/8
100530	07 13	67400	PARKER 271-8 AIR BRAKE 1/2 SAE J1402 A DOT (DATE)	OPPOSITE: (NONE) FITTING: 25 SERIES: (NONE)	1/2

AIR BRAKE HOSE

January 2012

SECTION 19-5

NUMBER	EXPIR	APPL #	MARKINGS - ONE SIDE	MARKINGS - OTHER SIDE (END FITTING)	SIZE
			12.7MM WP1.6 MPA (225 PSI)	NOTE: MEETS SECTION 49 CFR 571.106 S7.2.2 FITTING: 68RB OR AC: DOT P (PARKER LOGO) 3/8	
090650	07 12	64700	PARKER 293.10 AIR BRAKE 12.5MM (1/2) SAE J1402 WP3.5 MPA (500 PSI)	DOT (LOT NUMBER) (DATE) 1/2AI	1/2
090649	07 12	64700	PARKER 293.8 AIR BRAKE 10MM (13/32) SAE J1402 WP3.5 MPA (500 PSI)	DOT (LOT NUMBER) (DATE) 13/32 AI	13/32
090651	07 12	64700	PARKER 293-12 AIR BRAKE 16MM (5/8) SAE J1402 WP3.5 MPA (500 PSI)	DOT (LOT NUMBER) (DATE) 5/8 AI	5/8
090658	07 12	64700	PARKER 293-4 AIR BRAKE 5MM (3/16) SAE J1402 WP14.0 MPA (2000 PSI)	DOT (LOT NUMBER) (DATE) 3/16 AI	3/16
090646	07 12	64700	PARKER 293-4 AIR BRAKE 5MM (3/16) SAE J1402 WP3.5 MPA (500 PSI)	DOT (LOT NUMBER) (DATE) 3/16 AI	3/16
090647	07 12	64700	PARKER 293-5 AIR BRAKE 6.30MM (1/4) SAE J1402 WP3.50MPA (500 PSI)	DOT (LOT NUMBER) (DATE) 1/4 AI	1/4
090648	07 12	64700	PARKER 293-6 AIR BRAKE 8MM (5/16) SAE J1402 WP3.5 MPA (500 PSI)	DOT (LOT NUMBER) (DATE) 5/16 AI	5/16
090661	07 12	64700	PARKER 293-8 AIR BRAKE 10MM (13/32) SAE J1402 WP8.7 MPA (1250 PSI)	DOT (LOT NUMBER) (DATE) 13/32 AI	13/32
100195	07 13	64700	PARKER 296-10 AIR BRAKE 12,5MM (1/2) SAE J1402 WP3,5 MPA (500 PSI)	DOT (DATE) 1/2 AII	1/2
100193	07 13	64700	PARKER 296-6 AIR BRAKE 8MM (5/16) SAE J1402 WP3,5 MPA (500 PSI)	DOT (DATE) 5/16 AII	5/16
100194	07 13	64700	PARKER 296-8 AIR BRAKE 10MM (13/32) SAE J1402 WP3,5 MPA (500 PSI)	DOT (DATE) 13/32 AII	13/32
100723	07 13	01650	PIRTEK AIRBRAKE 10.4MM (3/32) HTAB 08 86 BAR (1250 PSI)	OPPOSITE: DOT FMVSS 106/SAE J1402 AII (DATE) END FITTING: REUSABLE: EATON (DATE) DOT AII 3/32 PERMANENT: (NONE)	3/32
100724	07 13	01650	PIRTEK AIRBRAKE 12.7MM (1/2) HTAB 10 86 BAR (1250 PSI)	OPPOSITE: DOT FMVSS 106/SAE J1402 AII (DATE) END FITTING: REUSABLE: EATON (DATE) DOT AII 1/2 PERMANENT: (NONE)	1/2
100725	07 13	01650	PIRTEK AIRBRAKE 15.9MM (5/8) HTAB 12 52 BAR	OPPOSITE: DOT FMVSS 106/SAE J1402 AII (DATE)	5/8

AIR BRAKE HOSE

January 2012

SECTION 19-6

NUMBER	EXPIR	APPL #	MARKINGS - ONE SIDE	MARKINGS - OTHER SIDE (END FITTING)	SIZE
			(750 PSI)	END FITTING: REUSABLE: EATON (DATE) DOT AII 5/8 PERMANENT: (NONE)	
100720	07 13	01650	PIRTEK AIRBRAKE 4.8MM (3/16) HTAB 04 138 BAR (2000 PSI)	OPPOSITE: DOT FMVSS 106/SAE J1402 AII (DATE) END FITTING: REUSABLE: EATON (DATE) DOT AII 3/16 PERMANENT: (NONE)	3/16
100726	07 13	01650	PIRTEK AIRBRAKE 4.8MM (3/16) R5HT-04 207 BAR (3000 PSI)	OPPOSITE: DOT (DATE) AIR BRAKE SAE J1402 4.8MM (3/16) AII END FITTING: REUSABLE: EATON (DATE) DOT AII 3/16 PERMANENT: (NONE)	3/16
100721	07 13	01650	PIRTEK AIRBRAKE 6.4MM (1/4) HTAB 04 103 BAR (1500 PSI)	OPPOSITE: DOT FMVSS 106/SAE J1402 AII (DATE) END FITTING: REUSABLE: EATON (DATE) DOT AII 1/4 PERMANENT: (NONE)	1/4
100722	07 13	01650	PIRTEK AIRBRAKE 7.9MM (5/16) HTAB 04 103 BAR (1500 PSI)	OPPOSITE: DOT FMVSS 106/SAE J1402 AII (DATE) END FITTING: REUSABLE: EATON (DATE) DOT AII 5/16 PERMANENT: (NONE)	5/16
100729	07 13	01650	PRITEK AIRBRAKE 10.4MM (13/32) R5HT-08 138 BAR (2000 PSI)	OPPOSITE: DOT (DATE) AIR BRAKE SAE J1402 10.4MM (13/32) AII END FITTING: REUSABLE: EATON (DATE) DOT AII 13/32 PERMANENT: (NONE)	13/32
100730	07 13	01650	PRITEK AIRBRAKE 12.7MM (1/2) R5HT-06 138 BAR (2000 PSI)	OPPOSITE: DOT (DATE) AIR BRAKE SAE J1402 12.7MM (1/2) AII END FITTING: REUSABLE: EATON (DATE) DOT AII 1/2 PERMANENT: (NONE)	1/2
100731	07 13	01650	PRITEK AIRBRAKE 15.9MM (5/8) R5HT-12 103 BAR (1500 PSI)	OPPOSITE: DOT (DATE) AIR BRAKE SAE J1402 15.9MM (5/8) AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/8 PERMANENT: (NONE)	5/8
100727	07 13	01650	PRITEK AIRBRAKE 6.4MM (1/4) R5HT-05 207 BAR (3000 PSI)	OPPOSITE: DOT (DATE) AIR BRAKE SAE J1402 6.4MM (1/4) AII END FITTING: REUSABLE: EATON (DATE) DOT AII 1/4 PERMANENT: (NONE)	1/4
100728	07 13	01650	PRITEK AIRBRAKE 7.9MM (5/16) R5HT-06 155 BAR (2250 PSI)	OPPOSITE: DOT (DATE) AIR BRAKE SAE J1402 7.9MM (5/16) AII END FITTING: REUSABLE: EATON (DATE) DOT AII 5/16 PERMANENT: (NONE)	5/16
110732	07 14	57976	DOT MRCC (DATE) 1/2 A2B1	OPPOSITE SIDE: (NONE) END FITTING "A": MRCC 1113 END FITTING "B": (MITSUBISHI LOGO) MH033651	1/2
110733	07 14	57976	DOT MRCC (DATE) 13/32 A2B1	OPPOSITE SIDE: (NONE) END FITTING "A": MRCC	13/32

AIR BRAKE HOSE

January 2012

SECTION 19-7

NUMBER	EXPIR	APPL #	MARKINGS - ONE SIDE	MARKINGS - OTHER SIDE (END FITTING)	SIZE
--------	-------	-----------	---------------------	-------------------------------------	------

				0510 END FITTING "B": (MITSUBISHI LOGO) MH031616 D087	
110071	07 14	01650	WEATHERHEAD AIR BRAKE 12.5MM SP(1/2" SP) SAE J1402 A H33808 MADE IN USA	BOTTOM SIDE: DOT 53719 (MM/YY) 12.5MM SP (1/2" SP) A END FITTING: EATON 08U-000	1/2
110070	07 14	01650	WEATHERHEAD AIR BRAKE 905 MM (3/8") SAE J1402 H33806 MADE IN USA	BOTTOM SIDE: DOT 53719 (MM/YY) 905MM (3/8") A END FITTING: EATON 06U-000	3/8

BULK END FITTINGS ONLY

110424	07 14	06740	(NONE)	(NONE)	1/4 & 3/8
110698	01 13	52221	JIH DOT A 3/8"	(NONE)	3/8

AIR BRAKE HOSE

January 2012

SECTION 19-8

NUMBER	EXPIR	APPL #	MARKINGS - ONE SIDE	MARKINGS - OTHER SIDE (END FITTING)	SIZE
--------	-------	-----------	---------------------	-------------------------------------	------

THIS SIDE LEFT INTENTIONALLY BLANK